## **Historic, Archive Document**

Do not assume content reflects current scientific knowledge, policies, or practices.

01.0010

## HARDY DECIDUOUS TREES AND SHRUBS

ALDIZZIA IIILIDDICCINI CIII- Muco	0 40 4 6-14	QUANTITY FOR QUOTATION
ALBIZZIA JULIBRISSIN—Silk Tree AZALEA ARBORESCENS—Sweet White Azalea	3 to 4 feet	• • • • • • • • • • • • • • • • • • • •
ARONIA MELANOCARPA—Black Chokeberry	2 to 3 feet	
AZALEA CALENDULACEA—Flame Azalea	1 to 2 feet	
	2 to 3 feet	
3 to 4 feet		
Cut-back clumps	Cont. No. of the control of the cont	
AZALEA CANESCENS—Piedmont Azalea	Cut-back clumps	· · · · · · · · · · · · · · · · · · ·
AZALEA NUDIFLORA—Pinxter Bloom	1 to 2 feet	The state of the s
2 to 3 feet		
Cut-back clumps		The second secon
AZALEA VASEYI—Pink-shell Azalea	1 to 2 feet	
2 to 3 feet		• • • • • • • • • • • • • • • • • • • •
Cut-back clumps		The second of th
CHIONANTHUS VIRGINICA—White Fringe-tree	1 to 2 feet	- Albert 1
4 to 5 feet		
CORNUS FLORIDA—White Flowering Dogwood	2 to 3 feet	
3 to 4 feet		
6 to 8 feet		
CORNUS FLORIDA RUBRA—Red-Flowering Dogwood	3 to 4 feet	
6 to 8 feet		
FORSYTHIA SUSPENSA—Weeping Forsythia	2 to 3 feet	
FORSYTHIA VIRIDISSIMA—Greenstem Forsythia	2 to 3 feet	
HALESIA TETRAPTERA—Great Silverbell	1 to 2 feet	
2 to 3 feet		••••••
HYDRANGEA PANICULATA GRANDIFLORA—Large-panicled	I II. 1 to 2 feet	•••••
2 to 3 feet		
3 to 4 feet	9 4 9 6	
HYDRANGEA RADIATA—Silverleaf Hydrangea	2 to 3 feet	
HYPERICUM DENSIFLORUM—Common St. John's—Wort,	1 to 2 feet	
2 to 3 feet	4	
HYDRANGEA PROLIFICUM—Shrabby St. John's—Wort.	1 to 2 feet	
2 to 3 feet	t to Seat	
LARIX LARICINIA—American Larch	6 to 8 feet	
LEUCOTHOE RECURVA—Redtwig Leucothoe	2 to 3 feet 2 to 3 feet	
OXYDENDRUM ARBOREUM—Sourwood 3 to 4 feet	2 (0 5 feet	• • • • • • • • • • • • • • • • • • • •
4 to 5 feet QUERCUS ALBA—White Oak	1 to 2 feet	•••••••
QUERCUS PHELLOS—Willow Oak	1 to 2 feet	
RHUS CANADENSIS—Fragrant Sumae	1 to 2 feet	• • • • • • • • • • • • • • • • • • • •
2 to 3 feet	1 10 2 100	
RHUS COPALLINA—Shining Sumae	1 to 2 feet, Collected	
ROBINA HISPIDA—Rose Acacia	1 to 2 feet, Collected	
2 to 3 feet	1 to 2 feet, Conceted	
ROSA SETIGERA—Prairie Rose	1 to 2 feet	
RUBUS ODORATUS—Flowering Raspberry	1 to 2 feet	
VACCINIUM PALLIDUM—Blue Ridge Blueberry	8 to 3 feet	
VIBURNUM CASSINOIDES—Withe-Rod	2 to 4 feet	
4 to 6 feet	± (0) ₹ 1000	
VIBURNUM DENTATUM—Aerowwood	1 to 2 feet	
2 to 3 feet	1 to 2 kee	
ZANTHORHIZA APHFOLIA—Yellow-root	4 to 6 inches	
6 to 12 inches	4 to 6 mem.	
1 to 2 feet		
* CO		***************************************
NATIVE EVERGREEI	N TREES AND	SHRUBS
ABIES FRASERI—Fraser Fir	1 to 2 feet	
2 to 3 feet		
3 to 4 feet		

ABIES FRASERI—Fraser Fir	1 to 2 feet	 
2 to 3 feet	• • • •	 
3 to 4 feet		 
6 to 8 feet		
	·	 
8 to 10 feet		 
BUXUS SUFFRUTICOSA—Old English Box	1 to 2 feet	 
BUXUS SEMPERVIRENS—Common Box	1 to 2 feet	 
2 to 3 feet		 
CHAMAEDAPHNE CALYCULATA—Leatherleaf	1 to 2 feet	 
ILEX GLABRA—Inkberry	1 to 2 feet	 
2 to 3 feet		 
Cut-back clumps		 
HEX OPACA—American Holly	1 to 2 feet	 
2 to 3 feet		 
KALMIA LATIFOLIA—Mountain Launrel	4 to 12 Inch Seedlings	 
1 to 2 feet		 
2 to 3 feet		 
3 to 4 feet		 
4 to 6 feet		 
LEUCOTHOE CATESBAEI	6 to 12 inches	 
1 to 2 feet		 
Cut-back chimps		 

		QUANTITY FO	R QUOTATION
MAGNOLIA GLAUCA—Sweetbay	5 to 6 feet		
NANDINA DOMESTICA—Japanese Nandina	1 to 2 feet		
2 to 3 feet			
3 to 4 feet			
PICEA CANADENSIS—White Sprnee	3 to 4 feet		
4 to 6 feet PICEA EXCELSA—Norway Spruce	1 to 2 feet		
2 to 3 feet	1 10 2 1000		
3 to 4 feet			
4 to 6 feet			
6 to 8 feet	0 4- 0 0-4		
PICEA MARIANA—Black Spruce 3 to 4 feet	2 to 3 feet		
4 to 5 feet			
	4 to 6 inch Seedlings		
6 to 12 inches			
1 to 2 feet	0		
PIERIS FLORIBUNDA—Mountain Andromeda  1 to 2 feet	8 to 12 inches		
Cut-back clumps	-		
PINUS STROBUS—White Pine	4 to 6 feer		
6 to 8 feet			
8 to 10 feet			
10 to 12 feet			
12 to 15 feet 15 to 20 feet			
TAXUS CANADENSIS—Canada Yew	6 to 12 inches		
THUJA OCCIDENTALIS—American Arborvitae	2 to 3 feet		
3 to 4 feet			
4 to 6 feet			
6 to 8 feet TSUGA CANADENSIS—Canada Hemlock	1 to 9 foot		
2 to 3 feet	1 to 2 feet		
3 to 4 feet			
4 to 5 feet			
5 to 6 feet			
6 to 7 feet			
7 to 8 feet 8 to 10 feet			• • • • • • • • • • • • • • • • • • • •
10 to 12 feet			
TSUGA CAROLINIANA—Carolina Hemlock	1 to 2 feet		
2 to 3 feet			
3 to 4 feet		• • • • • • • • • • • • • • • • • • • •	
4 to 5 feet Heavy 5 to 6 feet			• • • • • • • • • • • • • • • • • • • •
6 to 7 feet			
7 to 8 feet			
	4 to 8 inches, Bushy		
8 to 12 inch Bushy		• • • • • • • • • • • • • • • • • • • •	
1 to 2 feet Bushy			
1 to 2 feet, Heavy clumps 2 to 3 feet, Heavy clumps			• • • • • • • • • • • • • • • • • • • •
3 to 4 feet, Heavy elumps			• • • • • • • • • • • • • • • • • • • •
Cut-back clumps			
RHODODENDRON CATAWBIENSE COMPACTO	4 to 6 inches, Bushy		
6 to 12 inches, Bushy			
12 to 18 inches, Heavy clumps RHODODENDRON CAROLINIANUM—Carolina Rhododendron	1 to 2 feet, clumbs	• • • • • • • • • • • • • • • • • • • •	• • • • • • • • • • • • • • • • • • • •
2 to 3 feet, Clumps	1 to 2 reet, etamos		• • • • • • • • • • • • • • • • • • • •
3 to 4 feet, Clumps			
Cut-back clumps			
RHODODENDRON MAXIMUM—Rosebay	1 to 2 feet, Bushy	• • • • • • • • • • • • • • • • • • • •	
1 to 2 feet X heavy clumps 2 to 3 feet XX heavy clumps			• • • • • • • • • • • • • • • • • • • •
3 to 4 feet XX heavy clumps			• • • • • • • • • • • • • • • • • • • •
5 to 6 feet XX heavy clumps			
Cut-back chumps			
HARDY VINES, CLIM	BERS AND CI	REEPERS	
AMPELOPSIS QUINQUEFOLIA—Virginia Creeper	Strong collected		
AMPELOPSIS QUINQUEFOLIA ENGELMANNI—Scarlet Virgin	<u> </u>		
BIGNONIA RADICANS—Trumpet Creeper	2 to 3 feet		
CELASTRUS SCANDENS—American Bittersweet	1 to 2 feet		
2 to 3 feet 3 to 4 feet X Heavy			
CLEMATIS PANICULATA—Sweet Antumn Clematis	Strong		
CLEMATIS VIRGINIANA—Virgin's Bower	X Strong		
EPIGAEA REPENS—Trailing ARBUTUS	Strong clamps		
GALAX APHYLLA—Galax	X Strong clumps		
GAULTHERIA PROCUMBENS—Wintergreen IRIS CRISTATA—Crested Iris	X Strong clumps	• • • • • • • • • • • • • • • • • • • •	

		QUANTITY FOR	QUOTATION
IRIS VERNA—Vernal Iris	X Strong clumps		
LONICERA JAPONICA HALLIANA—Hall's Honeysucle	1st size		
Second size	X Strong	• • • • • • • • • • • • • • • • • • • •	
PACHYSANDRA TERMINALIS—Japanese Pachysandra RANUNCULUS REPENS—Creeping Butterenp	X Strong		
SEDUM TELEPHOIDES—Wild Live-forever	X Strong		• • • • • • • • • • • • • • • • • • • •
SEDUM TERNATUM—Mountain Stonecrop	Strong clumps		
SHORTIA GALACIFOLIA—Oconee Bells	Strong clumps		
VINCA MINOR—Common Periwinkle	Strong	• • • • • • • • • • • • • • • • • • • •	• • • • • • • • • • • • • • • • • • • •
HARDY NA	TIVE FERNS		
and the state of t	T Chiene		
ADIANTUM PEDATUM—American Maidenhair Feru ATHYRIUM FILIXFEMINA—Lady Fern	X Strong X Strong		• • • • • • • • • • • • • • • • • • • •
BOTRYCHIUM VIRGINIANUM—Rattlesnake Fern	Strong		
DICKSONIA PUNCTILOBULA—Hay-scented Fern	Heavy clumps		
DRYOPTERIS GOLDIANA—Goldie Fern	Strong		
DRYOPTERIS HEXAGONOPTERA—Winged Woodfern	Strong	• • • • • • • • • • • • • • • • • • • •	• • • • • • • • • • • • • • • • • • • •
DRYOPTERIS MARGINALIS—Leather Woodfern DRYOPTERIS SPINULOSA—Toothed Woodfern	X Strong X Strong	• • • • • • • • • • • • • • • • • • • •	• • • • • • • • • • • • • • • • • • • •
DRYOPTERIS THELYPTERIS—Marsh Fern	Strong		
ONOCLEA SENSIBILIS—Sensitive Fern	Strong		
OSMUNDA CINNAMOMEA—Cinnamon Fern	X Strong		
OSMUNDA CLAYTONIANA—Interrupted Fern	X Strong	• • • • • • • • • • • • • • • • • • • •	• • • • • • • • • • • • • • • • • • • •
OSMUNDA REGALIS—Royal Fern POLYPODIUM VULGARE—Common Polypody	Strong X Strong		• • • • • • • • • • • • • • • • • • • •
POLYSTICHUM ACROSTICHOIDES—Christmas Fern	X Strong X Strong		
PTERETIS NODULOSA—Ostrich Fern	Strong		
PTERIDIUM AQUILINUM—Bracken	Strong		
HARDY AQUATIC	AND BOG PL	ANTS	
ASTER PUNICEUS—Swamp Aster CAL/THA PALUSTRIS—Marsh Marigold	Strong clumps Strong		
CHELONE GLABRA—White Turtlehead	Strong		
CHELONE LYONI—Pink Turtlehead	Strong		
CICUTA MACULATA Spotted Waterhemlock	Strong		
DARLINGTONIA CALIFORNICA—California Pitcher Plant	X Strong		
DIONAEA MUSCIPULA—Venus' Flytrap HEMEROCALLIS FULVA—Tawny Day Lily	Strong Strong		
MERTENSIA VIRGINICA—Virginia Bluebells	First Size		
Second size			
SARRACENIA FLAVA—Trumpet Pitcher Plant	Strong		
SARRACENIA PURPUREA—Common Pitcher Plant	Strong		
SARRACENIA MINOR—Hooded Pitcher Plant SYMPLOCARPUS FOETIDUS—Skunk-cabbage	Strong X Strong		
VERNONIA NOVEBORACENSIS—Common Ironwood	X Strong		
HARDY NATIVE LILIES	And DIII POI	TO DIANTS	
HARDE WALLYE DIDIES	And DULDU	D I HALLID	
ARISAEMA TRIPHYLLUM—Jack-in-the-Pulpit	Strtong		
CONVALLARIA MAJALIS—Lily-of-the-Valley	Strong		
DICENTRA EXIMEA—Fringed Bleeding-Heart	Strong		
Second size ERYTHRONIUM AMERICANUM—American Trout Lily	Flowering Size		
LILIUM CANADENSE—Canada Lily	First Size		
Second size			
LLIUM CAROLINIANUM—Carolina Lily	First Size		
Second size LILIUM GRAYI—Gray's Lily	First Size		
Second size	11181 3120		
Third size			
LILIUM PHILADELPHICUM—Orange-cup Lily	First Size		
Second size	T . t Tingt Cine	• • • • • • • • • • • • • • • •	
LILIUM SUPERBUM—Turk's-cap Lily Strong Second size	X strong First Size		
Strong Third size			
NARCISSUS—Daffodil	Strong assorted		
TRILLIUM CERNUM—Nodding Trillium	First Size		• • • • • • • • • • • • • • • • • • • •
TRILLIUM ERECTUM—Purple Trillium	First Size		
Second size TRILLIUM ERECTUM ALBUM—Wax Trillium	First Size		
TRILLIUM GRANDIFLORUM—Snow Trillium	XX Largest		
X Strong First size			
Flowering Second size	Din a Olica		
TRILLIUM LUTEUM—Yellow Trillinm	First Size First Size		
TRILLIUM STYLOSUM—Rose Trillium Second size	T HOLDING		
TRILLIUM UNDULATUM—Painted Trillium	X Strong First Size		

## HARDY NATIVE ORCHIDS

QUANTITY FOR QUOTATION

		QUANTITI FO.	
Consequink Orchid	Strong		
CALOPOGON PULCHELLUS—Grass-pink Orchid	Strong First Size		
CYPRIPEDIUM ACAULE—Plik Lady's supper	interest of the second		
7.1	Titure Cian		
Small Yellow Lady's Supper	First Size		
CYPRIPEDIUM PUBESCENS—Common Yellow Lady's Slipper	Strong First Size		
CYPRIPEDIUM PUBLICULARIO			
Flowering Second size	1-3 crown plants		
CYPRIPEDIUM STECTABILE—Showy Lady's Slipper	To Cloud I		
t to 8 crown Chimby Plants	Ctrons		
HABENARIA CILIARIS—Yellow Finge Orchid	Strong		
HABENARIA CHIMINIS-ICHOW 22186		DIRTRIE A	
HARDY NATIVE HERB.	ACEOUS PER	ENNIALS	
ELARCE IN A LEVAL BELLEVILLE	TOHOUS A 222		
ACONITUM UNCINATUM—Clambering Monkshood	Strong		
ACONITUM EXCINATION - CHARACTER STATE OF THE	Strong		
ACTAEA ALBA—White Baneberry	Strong		
a compared a Test BD A ROOT ROBERTTY	Strong		
AQUILEGIA CANADENSIS—American Columbine			
ARUNCUS SYLVESTER—Goat's Beard	X Strong		
ARUNCUS SEIMESTER Courts In Wild Cincon	Strong		
ASARUM CANADENSE—Canada Wild Ginger	Strong		
ACABIM SHITTLEWORTH MOUSER WIRL CORSE	Strong		
ASCLEPIAS TUBEROSA—Butterfly Weed	Strong		
Second size	Strong		
ASTILBE BITERNATA—False Goatsbeard	X Strong		
DAPTISTA TINCTORIA—Yellow Wild-Indigo	Strong		
CHAMAELIRIUM LUTEUM-Fairywand			
CIMICIFUGA RACEMOSA—Cohosh Bugbane	X Strong		
CIMICIP COLOR DATE OF THE COLOR	Strong		
CLINTONIA BOREALIS—Bluebead	Strong		
CLINTONIA UMBELLULATA—Speckled Clintonia	Strong		
COREOPSIS LANCEOLATA—Lauce Coreopsis			
DISPORUM LANUGINOSUM—Fairy Bells	Strong		
Dibitorion Interest Dia Common Shooting-Star	Strong		
DODECATHEON MEADIA—Common Shooting-Star	Strong		
EPILOBIUM ANGUSTIFOLIUM-Blooming Sally	X Strong		
EID MORIUM PURPUREUM-Joc-Pyc-Weed			
EUPHORBIA COROLLATA—Flowering Spurge	Strong		
Elifother Strategy Cond Continu	Strong		
GENTIANA ANDREWSI—Closed Gentian	Strong		
GILLENIA TRIFOLIATA—Bowman's Root	X Strong		
HIGHENITAT ATTUNINALE—Common Speezeweed			
HEPATICA ACUTILOBA—Sharp-lobed Repatica	X Strong		
HEPATICA TRILOBA—Round-lobed Hepatica	Strong		
THE ATTENDED TO THE TOP OF THE TO	X Strong		
HEUCHERA AMERICANA—American Alam-1001	X Strong		
HEUCHERA VILLOSA-Hairy Alum-root			
HOUSTONIA PURPUREA—Mountain Houstonia	Strong		
LIATRIS SPICATA—Spike Grayfeather	Strong		
TAKERS STICKED AT IL Condinal Eleven	Strong		
LOBELIA CARDINALIS—Cardinal Flower	Strong		
LOBELIA SYPHILITICA—Large Blue Lobelia			
PANAX QUINQUEFOLIUM—American Giuseng	XX Largest		
Strong First size			
SHORE AND DELOS	Strong		
PHLOX DIVARICATA—Blue Phlox	Strong		
PODOPHYLLUM PELTATUM—Common May Apple			
POLYGONATUM BIFLORUM—Dwarf Solomon's Scal	Strong		
POLYGONATUM COMMUTATUM—Great Solomon's Seal	X Strong		
SANGUNARIA CANADENSIS-Bloodroot	Strong		
SAMELINARIA (ANAIMANIS Calaman's Sant	Strong		
SMILACINA RACEMOSA—False Solomon's Seal			
THALICTRUM DIOICUM—Early Meadowrne	Strong		
THALICTRUM POLYGAMUM—Tall Meadowruc	Strong		
THERMOPSIS CAROLINIANA—Carolina Thermopsis	Extra Heavy		
THERMOLESIS CHICALITATIVE A VINCINIA CHICARLORS	Strong		
TRADESCANTIA VIRGINIANA—Virginia Spiderwort			
UVULARIA GRANDIFLORA—Big Merrybells	Strong		
VERONICA VIRGINICA—Culver's Physic	Strong		
VIOLA BLANDA—Sweet White Violet	Strong		
VIOLA CANADENSIS—Canada Violet	Strong		
THE A CHICART AND A Ding Thomas Violat	Strong		
VIOLA CUCULLATA—Blue Marsh Violet			
VIOLA HASTATA—Halberd-leaved Yellow Violet	Strong	• • • • • • • • • • • • • • • • • • • •	
VIOLA PEDATA—Bird's-foot Violet	Strong		
VIOLA PEDATA BICOLOR—Two-color Bird's-foot Violet	Strong		
VIOLA ROTUNDIFOLIA—Round-leaf Yellow Violet	Strong		
TIONA ROLLANIE OMAR—HOURITON EUROW TRUCT			• • • • • • • • • • • • • • • • • • • •
VIOLA SAGITTATA—Arrowleaf Violet	Strong		
YUCCA FIACCIDA—Weakleaf Yucca	Strong		
YUCCA GLORIOSA-Moundlily Yucca	Extra Heavy		
·			

We specialize in Rock Garden Plants.

Inviting you to visit our Nurseries, and an opportunity to figure on your requirements.

ADDRESS

GARDENS OF THE BLUE RIDGE E. C. ROBBINS, NURSERYMAN, ASHFORD, McDOWELL COUNTY NORTH CAROLINA